




# EVOX J11

ACTIVE THREE-WAY PORTABLE COLUMN SPEAKER



## Description

EVOX J11 is an active, three-way portable column system designed for maximum clarity and power in a compact format. A 1.75" compression driver coupled with a 120° × 40° True Resistive Waveguide ensures wide, consistent coverage, while 12 × 3" full-range transducers and a high-power 12" woofer in a bass-reflex enclosure deliver articulate mids and deep, controlled lows. Driven by a 3500W onboard dual-channel Class-D amplifier, EVOX J11 delivers an impressive 132 dB Max SPL output. Part of the EVOX J Series, it incorporates RCF's tour-grade technology into a sleek, unobtrusive package that delivers crystal-clear vocals, natural musical response, and effortless deployment for bands, DJs, and live performers.

## Features

- › 132 dB Max SPL
- › 3500 W Class-D Amplifier - Built-In DSP
- › 1.75" Neo Compression Driver - 120° X 40° True Resistive Waveguide
- › 12 × 3" Full-Range Neo Transducers
- › 12" RCF Precision Low-Frequency Woofer
- › Enhanced Coverage And Clarity
- › Composite Cabinet With Aluminum Stand Mount
- › Sleek, Road-Ready Design
- › Top Speaker Padded Carrying Bag Included
- › PowerCON TRUE1-TOP Mains Connector

## Part Number

13000932 EVOX J11

220-240 V

Black


EAN 8024530024147



# EVOX J11

## ACTIVE THREE-WAY PORTABLE COLUMN SPEAKER

Line Art 2D



### TECHNICAL SPECIFICATIONS

<b>Acoustical specifications</b>	Frequency Response	37 Hz - 20000 Hz
	Max SPL @ 1m	132 dB
	Horizontal coverage angle	120°
	Vertical coverage angle	40°
<b>Transducers</b>	Compression Driver	1 x 0.75" neo, 1.75" v.c
	Fullrange	12 x 3.0" neo, 1.0" v.c
	Woofers	1 x 12", 2.5" v.c
<b>Input/Output section</b>	Input signal	bal/unbal
	Input connectors	Combo XLR/Jack
	Output connectors	XLR
	Input sensitivity	+4 dBu
<b>Processor section</b>	Crossover Frequencies	160 Hz/1800 Hz
	Protections	Thermal, RMS
	Limiter	Soft Limiter
	Controls	Volume, Presets: LINEAR/LIVE, CLUB, VOICE
<b>Power section</b>	Total Power	3500 W Peak
	High frequencies	1500 W Peak
	Low frequencies	2000 W Peak
	Cooling	Convection
	Connections	Powercon TRUE1 TOP IN/OUT
<b>Standard compliance</b>	Safety agency	CE compliant



# EVOX J11

## ACTIVE THREE-WAY PORTABLE COLUMN SPEAKER

### Physical specifications

Cabinet/Case Material	PP Composite
Handles	1 Top
Pole mount/Cap	Quick-fit socket
Grille	Steel
Color	Black
<b>Size / Weight</b>	
Height	2285 mm / 89.96 inches
Width	400 mm / 15.75 inches
Depth	460 mm / 18.11 inches
Weight	29 kg / 63.93 lbs

### ACCESSORIES

#### Protections

##### COVERS

13360751	CVR60751	Black	EAN 8024530024536
13360752	CVR60752	Black	EAN 8024530024543