



# EVOX J9

ACTIVE THREE-WAY PORTABLE COLUMN SPEAKER



## Description

EVOX J9 is an active, three-way portable column system designed for maximum clarity and power in a compact format. A 1.75" compression driver coupled with a 120° × 40° True Resistive Waveguide ensures wide, consistent coverage, while 6 x 3" full-range transducers and a high-power 12" woofer in a bass-reflex enclosure deliver articulate mids and deep, controlled lows. Driven by a 2100W onboard dual-channel Class-D amplifier, EVOX J9 delivers an impressive 130 dB Max SPL output. Part of the EVOX J Series, it incorporates RCF's tour-grade technology into a sleek, unobtrusive package that delivers crystal-clear vocals, natural musical response, and effortless deployment for bands, DJs, and live performers.

## Features

- › 130 dB Max SPL
- › 2100 W Class-D Amplifier - Built-In DSP
- › 1.75" Neo Compression Driver - 120° X 40° True Resistive Waveguide
- › 6 × 3" Full-Range Neo Transducers
- › 12" RCF Precision Low-Frequency Woofer
- › Enhanced Coverage And Clarity
- › Composite Cabinet With Aluminum Stand Mount
- › Sleek, Road-Ready Design
- › Top Speaker Padded Carrying Bag Included
- › VDE Mains Connector

## Part Number

13000928 EVOX J9

220-240 V

Black


EAN 8024530024123



# EVOX J9

## ACTIVE THREE-WAY PORTABLE COLUMN SPEAKER

Line Art 2D



### TECHNICAL SPECIFICATIONS

Acoustical specifications	Frequency Response	40 Hz - 20000 Hz
	Max SPL @ 1m	130 dB
	Horizontal coverage angle	120°
	Vertical coverage angle	40°
Transducers	Compression Driver	1 x 0.75" neo, 1.75" v.c
	Fullrange	6 x 3.0" neo, 1.0" v.c
	Woofer	1 x 12", 2.5" v.c
Input/Output section	Input signal	bal/unbal
	Input connectors	Combo XLR/Jack
	Output connectors	XLR
	Input sensitivity	-2 dBu/+4 dBu
Processor section	Crossover Frequencies	160 Hz
	Protections	Thermal, RMS
	Limiter	Soft Limiter
	Controls	Volume, Presets: LINEAR/LIVE, CLUB, VOICE
	RDNet	Ready
Power section	Total Power	2100 W Peak
	High frequencies	700 W Peak
	Low frequencies	1400 W Peak
	Cooling	Convection
	Connections	VDE
Standard compliance	Safety agency	CE compliant



# EVOX J9

## ACTIVE THREE-WAY PORTABLE COLUMN SPEAKER

<b>Physical specifications</b>	Cabinet/Case Material	PP Composite
	Handles	1 Top
	Pole mount/Cap	Quick-fit socket
	Grille	Steel
<b>Size / Weight</b>	Color	Black
	Height	2080.1 mm / 81.89 inches
	Width	350 mm / 13.78 inches
	Depth	462.6 mm / 18.21 inches
	Weight	28.3 kg / 62.39 lbs